


BEFORE MUNICIPAL COUNCIL OF THE MUNICIPALITY OF MONROEVILLE

A RESOLUTION OF MUNICIPAL COUNCIL)
 OF THE MUNICIPALITY OF MONROEVILLE)
 APPROVING CONDITIONAL USE NO. 01-6-C) RESOLUTION NO. 01-24
 OF LEKAR DEVELOPMENT CONCERNING)
 PROPERTY LOCATED OFF CAVITT ROAD)


AND NOW, on April 10, 2001, it is RESOLVED by Municipal Council of the Municipality of Monroeville as follows:

That Conditional Use Application No. 01-6-C of LEKAR DEVELOPMENT, concerning property located off Cavitt Road, for a Major Excavation totaling 40,746 cubic yards of cut and fill, for site preparation for a Planned Residential Development, for a total property area equaling 17.88 acres, is "APPROVED" this date subject to conditions attached hereto as Addendum A.

ATTEST:


 Marshall W. Bond
 Municipal Manager

MUNICIPALITY OF MONROEVILLE


 Abe J. Comunale
 Mayor

ENTERED INTO LEGAL BOOK ON: April 20, 2001

ADDENDUM A TO RESOLUTION NO. 01-24

Concerning File No. 01-6-C

The approval of the aforementioned Conditional Use, No. 01-6-C, is subject to the following conditions:

1. Compliance with all applicable Municipal Codes, Ordinances, Resolutions, Policies and procedures, in general, and with Ordinance No. 1443, as amended, in particular.
2. Site Plan approval shall not be official until and unless the Site Plan, as approved by Council and including all conditions of approval by Municipal Council, is filed with the Zoning Officer within ninety (90) days of action by Council.
3. Submission of a Performance Guarantee Improvement Bond in an amount of 100 percent of the cost of grading and erosion control required by Section 508 of Ordinance No. 1535, as amended, as estimated by the Municipal Engineer, and in a form acceptable to the Municipal Solicitor.
4. Applicant agrees to comply with the requirements of Ordinance No. 1016, concerning sidewalk construction and regulations, as located and approved by the Municipal Engineer.
5. Applicant agrees that no site preparation, either grading or excavation of materials, can commence on this property until a Soil and Erosion Control Plan has been reviewed and approved by Allegheny County.
6. Applicant agrees that prior to the issuance of a Land Disturbance Permit, authorization to proceed with the cut and fill activity identified in this application, a Cut and Fill Design must be prepared by a Geotechnical Engineer, registered in the State of Pennsylvania and submitted to the Department of Community Development, Municipality of Monroeville, for its review and approval. This Cut and Fill Design shall address existing subsurface conditions on the site, soils analysis and suitability investigation, specifications for completing and monitoring the proposed cut and fill activities, the stability of existing and proposed slopes, and the kind of materials proposed for export from this site.
7. Applicant agrees to comply with Resolution 00-30, the Monroeville Developer's Agreement, executing said agreement prior to the commencement of any work on the site, or the issuance of a Land Disturbance Permit.

ADDENDUM A TO RESOLUTION NO. 01-24
Concerning File No. 01-6-C
Page 2

- 8. Applicant agrees that after approval of the Conditional Use by Monroeville Council, and prior to the issuance of any Grading Permit or Building Permit, all drawings in the application submission shall be submitted to the Department of Community Development in a digital format, preferably AutoCad Version 14, and if not available, a DXF format is acceptable. No work shall be authorized to commence until this information is submitted.

- 9. Compliance with the Municipal Engineer's requirements.

- 10. Compliance with the Fire Official's requirements, including:
 - a.) Install one (1) fire hydrant as per fire official's exhibit (Ordinance 2022);
 - b.) Install eight (8) inch minimum ductile-iron water main to serve fire hydrant (Ordinance 2022); and
 - c.) Establish fire lanes as per fire official's exhibit (Ordinance 1935).